

72-115 Series PVC Insulators

Features

- Fits 72-113 (50A Steel) & 72-114 (100A Copper) Heavy Duty Spring Clips
- Flexible PVC Composition
- Overall Length: 5.000" (127.0mm)

| NTE Type No. | Description |
|--------------|---|
| 72-115-0 | PVC Insulator for 72-113 & 72-114, Black |
| 72-115-2 | PVC Insulator for 72-113 & 72-114, Red |
| 72-115-4 | PVC Insulator for 72-113 & 72-114, Yellow |
| 72-115-5 | PVC Insulator for 72-113 & 72-114, Green |
| 72-115-6 | PVC Insulator for 72-113 & 72-114, Blue |
| 72-115-9 | PVC Insulator for 72-113 & 72-114, White |



72-119 Series PVC Insulators

Features

- Fits 72-116 (25A Steel), 72-117 (40A Steel), & 72-118 (75A Copper) Heavy Duty Spring Clips
- Flexible PVC Composition
- Overall Length: 3.800" (96.5mm)

| NTE Type No. | Description |
|--------------|--|
| 72-119-0 | PVC Insulator for 72-116, 72-117, & 72-118, Black |
| 72-119-2 | PVC Insulator for 72-116, 72-117, & 72-118, Red |
| 72-119-4 | PVC Insulator for 72-116, 72-117, & 72-118, Yellow |
| 72-119-5 | PVC Insulator for 72-116, 72-117, & 72-118, Green |
| 72-119-6 | PVC Insulator for 72-116, 72-117, & 72-118, Blue |
| 72-119-9 | PVC Insulator for 72-116, 72-117, & 72-118, White |



72-122 Series PVC Insulators

Features

- Fits 72-120 (20A Steel) & 72-121 (40A Copper) Spring Test Clips
- Flexible PVC Composition
- Overall Length: 3.500" (88.9mm)

| NTE Type No. | Description |
|--------------|---|
| 72-122-0 | PVC Insulator for 72-120 & 72-121, Black |
| 72-122-2 | PVC Insulator for 72-120 & 72-121, Red |
| 72-122-4 | PVC Insulator for 72-120 & 72-121, Yellow |
| 72-122-5 | PVC Insulator for 72-120 & 72-121, Green |
| 72-122-6 | PVC Insulator for 72-120 & 72-121, Blue |
| 72-122-9 | PVC Insulator for 72-120 & 72-121, White |



72-127 Series PVC Insulators

Features

- Fits 72-124 (w/Barrel) & 72-126 (w/Threaded Barrel) 5A Miniature Steel Alligator Clips
- Flexible PVC Composition
- Overall Length: 1.600" (42.9mm)

| NTE Type No. | Description |
|--------------|--|
| 72-127-0 | PVC Insulator for 72-124 & 72-126 Series, Black |
| 72-127-2 | PVC Insulator for 72-124 & 72-126 Series, Red |
| 72-127-4 | PVC Insulator for 72-124 & 72-126 Series, Yellow |
| 72-127-5 | PVC Insulator for 72-124 & 72-126 Series, Green |
| 72-127-6 | PVC Insulator for 72-124 & 72-126 Series, Blue |
| 72-127-9 | PVC Insulator for 72-124 & 72-126 Series, White |



72-128 Series PVC Insulators

Features

- Fits 72-123 (Steel) & 72-125 (Solid Copper) 5A Miniature Alligator Clips
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.220" (30.9mm)

| NTE Type No. | Description |
|--------------|---|
| 72-128-0 | PVC Insulator for 72-123 & 72-125, Black |
| 72-128-2 | PVC Insulator for 72-123 & 72-125, Red |
| 72-128-4 | PVC Insulator for 72-123 & 72-125, Yellow |
| 72-128-5 | PVC Insulator for 72-123 & 72-125, Green |
| 72-128-6 | PVC Insulator for 72-123 & 72-125, Blue |
| 72-128-9 | PVC Insulator for 72-123 & 72-125, White |



72-131 Series PVC Insulators

Features

- Fits 72-129 (Steel) & 72-130 (Solid Copper) 5A Toothless Alligator Clips
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.250" (31.7mm)

| NTE Type No. | Description |
|--------------|---|
| 72-131-0 | PVC Insulator for 72-129 & 72-130, Black |
| 72-131-2 | PVC Insulator for 72-129 & 72-130, Red |
| 72-131-4 | PVC Insulator for 72-129 & 72-130, Yellow |
| 72-131-5 | PVC Insulator for 72-129 & 72-130, Green |
| 72-131-6 | PVC Insulator for 72-129 & 72-130, Blue |
| 72-131-9 | PVC Insulator for 72-129 & 72-130, White |



72-143 Series PVC Insulators

Features

- Fits 72-136 (5A Steel) & 72-137 10A Solid Copper) Petite Spring Clips
- Flexible PVC Composition
- Overall Length: 2.000" (50.8mm)

| NTE Type No. | Description |
|--------------|---|
| 72-143-0 | PVC Insulator for 72-136 & 72-137, Black |
| 72-143-2 | PVC Insulator for 72-136 & 72-137, Red |
| 72-143-4 | PVC Insulator for 72-136 & 72-137, Yellow |
| 72-143-5 | PVC Insulator for 72-136 & 72-137, Green |
| 72-143-6 | PVC Insulator for 72-136 & 72-137, Blue |
| 72-143-9 | PVC Insulator for 72-136 & 72-137, White |



72-146 Series PVC Insulators

Features

- Fits 72-144 (10A Steel) & 72-145 (20A Solid Copper) Analyzer Spring Clips
- Flexible PVC Composition
- Overall Length: 2.560" (65.0mm)

| NTE Type No. | Description |
|--------------|---|
| 72-146-0 | PVC Insulator for 72-144 & 72-145, Black |
| 72-146-2 | PVC Insulator for 72-144 & 72-145, Red |
| 72-146-4 | PVC Insulator for 72-144 & 72-145, Yellow |
| 72-146-5 | PVC Insulator for 72-144 & 72-145, Green |
| 72-146-6 | PVC Insulator for 72-144 & 72-145, Blue |
| 72-146-9 | PVC Insulator for 72-144 & 72-145, White |



72-157 Series PVC Insulators

Features

- Fits 72-148 (Steel w/Barrel), 72-149 (Solid Copper w/Barrel), 72-151 (Solid Copper w/Barrel & Screw), 72-153 (Steel w/Barrel & Screw), 72-154 (Steel w/Threaded Barrel), 72-155 (Steel w/U-Shaped Tail), 72-156 (Stainless Steel w/Barrel) & 72-181 (Steel, Phone Tip) 10A Alligator Clips
- Flexible PVC Composition
- Overall Length: 2.000" (50.8mm)

| NTE Type No. | Description |
|--------------|---|
| 72-157-0 | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Black |
| 72-157-2 | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Red |
| 72-157-4 | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Yellow |
| 72-157-5 | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Green |
| 72-157-6 | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, Blue |
| 72-157-9 | PVC Insulator for 72-148, 72-149, 72-151, 72-153 thru 72-156 & 72-181, White |



72-161 Series PVC Insulators

Features

- Fits 72-159 (5A Steel) & 72-160 (10A Solid Copper) Alligator Clips
- Skin Tight Insulator Design
- Flexible PVC Composition
- Overall Length: 1.800" (45.7mm)

| NTE Type No. | Description |
|--------------|---|
| 72-161-0 | PVC Insulator for 72-159 & 72-160, Black |
| 72-161-2 | PVC Insulator for 72-159 & 72-160, Red |
| 72-161-4 | PVC Insulator for 72-159 & 72-160, Yellow |
| 72-161-5 | PVC Insulator for 72-159 & 72-160, Green |
| 72-161-6 | PVC Insulator for 72-159 & 72-160, Blue |
| 72-161-9 | PVC Insulator for 72-159 & 72-160, White |



72-165 Series PVC Insulators

Features

- Fits 72-163 (5A Steel) & 72-164 (10A Solid Copper) Croc Clips
- Flexible PVC Composition
- Overall Length: 1.700" (43.1mm)

| NTE Type No. | Description |
|--------------|---|
| 72-165-0 | PVC Insulator for 72-163 & 72-164, Black |
| 72-165-2 | PVC Insulator for 72-163 & 72-164, Red |
| 72-165-4 | PVC Insulator for 72-163 & 72-164, Yellow |
| 72-165-5 | PVC Insulator for 72-163 & 72-164, Green |
| 72-165-6 | PVC Insulator for 72-163 & 72-164, Blue |
| 72-165-9 | PVC Insulator for 72-163 & 72-164, White |



72-166 Series Mitten Style PVC Insulators

Features

- Fits 72-167 & 72-168 Bed of Nails & Single Spike Combo Telecom Clips
- Flexible PVC Composition
- Overall Length: 2.600" (66.0mm)

| NTE Type No. | Description |
|--------------|---|
| 72-166-0 | PVC Insulator for 72-167 & 72-168, Black |
| 72-166-2 | PVC Insulator for 72-167 & 72-168, Red |
| 72-166-4 | PVC Insulator for 72-167 & 72-168, Yellow |
| 72-166-5 | PVC Insulator for 72-167 & 72-168, Green |
| 72-166-6 | PVC Insulator for 72-167 & 72-168, Blue |
| 72-166-9 | PVC Insulator for 72-167 & 72-168, White |



72-176 Series PVC Insulators

Features

- Fits 72-173 (200A Solid Copper), 72-173PS (200A Solid Copper w/Engraved Plus Sign), 72-174 (100A Zinc Plated Steel) & 72-174PS (100A Zinc Plated Steel w/ Engraved Plus Sign) Heavy Duty Spring Clips
- Flexible PVC Composition
- Overall Length: 6.811" (173mm)

| NTE Type No. | Description |
|--------------|---|
| 72-176-0 | PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Black |
| 72-176-2 | PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Red |
| 72-176-4 | PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Yellow |
| 72-176-5 | PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Green |
| 72-176-6 | PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, Blue |
| 72-176-9 | PVC Insulator for 72-173, 72-173PS, 72-174 & 72-174PS, White |



Glove Style Insulator for 72-096 Series

Features

- Fits 72-096 Bed of Nails & Single Spike Combo Telecom Clip
- Flexible TPE Composition
- Overall Length: 2.000" (50.8mm)

| NTE Type No. | Description |
|--------------|---|
| 72-099B | TPE Insulator for 72-096 Series Clip, Black |
| 72-099R | TPE Insulator for 72-096 Series Clip, Red |

